

# BONE MINERAL DENSITY MAINTENANCE DURING LONG-DURATION SPACEFLIGHT



#### Alexander Schepelmann, Ph.D.

Robotics and Computational Modeling Engineer ZIN Technologies, Inc., Cleveland, Ohio, USA

ML-MSM Webinar, October 2019







## WHAT IS NASA CCMP?



- The Cross-Cutting Computational Modeling Project (CCMP) is located within NASA's Human Research Program (HRP).
- We seek to fuse traditional research with computational modeling to better characterize risks and improve decision making for human spaceflight.

NASA's Cross-Cutting Computational Modeling Project logo.



- Machine learning is currently used to support HRP efforts in areas related to in-flight, in-mission, and long-term medical risk assessment.
- Machine learning has further application to unique health and performance concerns and specific human physiology changes during spaceflight.

NASA's Human Research Program logo.



#### **RESISTIVE EXERCISE PREVENTS BONE LOSS DURING SPACEFLIGHT**



- Astronauts experience 0.4-2.7% monthly volumetric bone mineral density (vBMD) loss during long-duration missions.
- Resistive exercise counters the effects of microgravity, but the required exercise frequency and duration for individuals is unclear.

The Hybrid Ultimate Lifting Kit (HULK) exercise device during parabolic flight.



- Personalized computational models may provide insight into the required amount of exercise for vBMD maintenance.
- Subject-specific bone finite element (FE) models are required for these models, but generating them can be slow and laborious.

Bone CT cross section. L: Raw, R: Pixel-based thresholding segmentation.



#### **BAYESIAN CLASSIFIERS CAN AUTOMATE FE MODEL GENERATION**

Given:  $X^{new} = \langle X_1, ..., X_n \rangle$ Classify:  $\hat{y} = \underset{j \in \{1,...,J\}}{\operatorname{argmax}} \propto P(Y = y_j) \prod_{i=1}^n P(X_i^{new} | Y = y_j)$ 

Probabilistic segmentation result of a DICOM CT image slice.

- The probabilistic classification scheme successfully segments bone containing images into 3 material types, requiring minimal post-processing.
- The Bayesian classification scheme decreases the required time to build a subject-specific FE model from 8 hours to 10 minutes.

Femur FE model generated from segmented CT image slices.



#### NASA'S BONE MODEL RELATES vBMD TO LOAD INDUCED STRESSES



- NASA has developed a bone remodeling dynamics model to estimate changes in vBMD in response to skeletal unloading and exercise.
- The model is initialized from CT image data and estimates mean cortical and trabecular bone mineral density as a function of time.
- Chemical remodeling rates are related to the aggregate daily bone strain resulting from exercise via Frost's mechanostat theory [1].
- Bone strain can be calculated for specific resistive exercises via the *daily load stimulus*, a relationship that relates induced single-cycle cortical and trabecular stresses to the frequency and number of exercise repetitions [2].

Overview of the computational bone remodeling model.

[1] Frost, H. M. (2003). Bone's mechanostat: A 2003 update. Anatomical Record Part A: Discoveries in Molecular, Cellular, and Evolutionary Biology. [2] Turner, C. H. and Robling, A. G. (2003). Designing exercise regiments to increase bone strength. Exercise and Sport Sciences Reviews.



### ANALOG BEDREST STUDY DATA IS USED TO VALIDATE THE MODEL

- The computational bone model is evaluated using data from subjects participating in a spaceflight analog 70-day bed rest study.
- A subset of participants performed exercises consistent with NASA's integrated resistance and aerobatic training regimen (iRAT) study [3].

#### Vertical treadmill in the NASA Flight Analog Research Unit.

[3] Ploutz-Snyder, L. L. et al. (2014). Integrated resistance and aerobic exercise protects fitness during bed rest. Medicine and Science in Sports and Exercise.



- The required vBMD maintenance force is assumed to be equivalent to femoral head contact forces resulting from walking 5,000 steps per day [4].
- Stochastic optimization of femoral head contact forces is used to simultaneously test model convergence and evaluate model behavior.

Orthoload public database.

[4] Bergman, G. (2008). Orthoload. Charité Universitätsmedizin Berlin. http://www.OrthoLoad.com.



#### MODEL PREDICTS POST-STUDY VBMD, BUT FORCES ARE LOW



Measured vs. predicted post-study vBMD. U: Unloaded. L: Loaded



Regression vs. model predicted vBMD maintenance forces.



#### FUTURE WORK FOCUSES ON QUANTITATIVE FORCE PREDICTION



- The model predicts post-study vBMD of subject with a low mean relative error, but predicted forces only qualitatively show the benefits of exercise.
- This behavior likely results from the use of a single remodeling model parameter set and the same FE bone model for all subjects.

Regression vs. model predicted vBMD maintenance forces.



- Ongoing research is investigating further personalization, including subject-specific parameters and bone geometry changes during flight.
- This research is being used to inform the design of ATLAS, a generalpurpose robotic exercise device for use in microgravity environments.

The Advanced Twin Lifting and Aerobic System (ATLAS).

